



DROP-IN ACCESS HATCH

Zefyr AH-DI

Format

Ground or Roof

Access

Single Flap (SF) or
Double Flap (DF)

Design

Curb Upstand

Opening

Ranging from 750mm
to 2000mm

Lid

Insulated Aluminium or
Triple Wall Polycarbonate

Body

Precision Formed 3mm
Aluminium

Loading

Pedestrian (standard)

Furniture

Slam latch, Internal
Release & Shackle
(standard) and External
Release Handle

Anti-Slip Lid

Chequer Plate, Anti-slip
Paint and Anti-slip Tape

Safety

None, Safety Grille and
Ladder Extension

Finish

Mill Finished Aluminium
(standard), PPC / PVF2 to
Zefyr Standard Colour /
Gloss Level



Features


- Recessed design - low profile - minimal visual impact
- High performance aluminium construction designed to fit into roof curb upstands.
- Suits all roof systems – Timber / Membrane / Felt / Standing Seam /
- Polycarbonate flap option for day lighting
- “Zeflok” – safety locking stay
- Safety guard option
- Ladder extension option
- Insulated curb upstand to suit most roof systems – available on request
- Comprehensive range of colours and finishes



Techniqual Data

Dimentions and Weights

Model	A	B	Weight (kg)	Configuration
	Length (mm)	Width (mm)		
AH-DI-SF001	750	750	35	Single Flap
AH-DI-SF002	750	1200	53	Single Flap
AH-DI-SF003	1000	1000	58	Single Flap
AH-DI-SF004	1200	1200	81	Single Flap
AH-DI-DF001	1500	1200	97	Double Flap
AH-DI-DF002	1500	1500	121	Double Flap
AH-DI-DF003	1750	1750	156	Double Flap
AH-DI-DF004	2000	2000	184	Double Flap



NBS Specifications

Zefyr Drop-in Access Hatch System

* Optional to complete / delete as appropriate

Manufacturer	Zefyr, Home Farm, Stockton Road, Abberley, Worcestershire, WR6 6AS T +44 (0) 870 600 1356 F +44 (0) 870 600 1356 E mail@zefyrgroup.com
Configuration	Fully assembled, tested and palletised.
Format	* Ground / Roof
Throat Dimensions	* 750 x 750 / 750 x 900 / 900 x 900 / 900 x 1200 / Bespoke
Construction	Fully welded construction from first quality aluminium sheet and extrusion.
Lid	* Uninsulated / Insulated Aluminium / Triple Wall Polycarbonate
Body	Precision formed 3mm aluminium to fit inside roof
Furniture	Slam latch with internal release and shackle for padlock (others) fitted as standard. * External release handle
Ladder Extension	* Extruded aluminium extension designed to fold flat within the depth of the hatch when closed.
Safety Grille	* Aluminium safety grille designed to fold flat within the depth of the hatch when closed.
Fixings	* Supplied to suit
Roof Details	Curb upstand as per drawing RVL120-500 by others
Finish	Mill finished aluminium standard * Colour and finish PPC / PVF2 to Zefyr Standard Colour / Gloss Level

zefyrgroup.com



Innovative Building Solutions for
a Sustainable Environment